



WYNDHAM COLLECTION




- Prior to installation please check received items against the "Packing List". Please report any missing items to your retailer immediately.
- Protect all surfaces from sharp objects, high heat sources, direct prolonged sunlight and chemical hazards.
- Professional installation recommended.
- Please install on a level surface. If minor door and drawer alignment is required, please follow the easy directions below.
- Backsplash comes in two pieces.




PACKING LIST


(Not all components may be included, depending upon your purchase)




Main Cabinet / 1



Counter & Sink / 1 (may not be included)




Mirror / 1 (may not be included)




Screws for mirror / 2 (may not be included)


HOW TO ADJUST HINGES (if required)




install




remove



adjust height



adjust laterally




adjust depth


REQUIRED TOOLS NOT IN BOX




Silicone sealant



Spirit Level



Phillips Screwdriver



Tape measure



Pencil







Electric Drill


WC-1111-60-SGL
Installation Guide

WYNDHAM COLLECTION

INSTALLATION INSTRUCTIONS




HOW TO ADJUST DRAWER SLIDES (if required)




WC-1111-66-SGL
Installation Guide

WYNDHAM COLLECTION



Side Adjustment



Depth Adjustment




Scan the QR code with your phone to watch detailed video instructions or visit www.wyndhamcollection.com/3dslides

WC-1111-60-SGL
Installation Guide

WYNDHAM COLLECTION


Backboard Cutouts



*Note: All measurements are $\pm 1/4"$.

Electrical Outlets with Charging Hub

Easy to install
Long 5 foot plug in cord
2 electrical outlets, 125V 15A
Tamper Resistant (TR) outlets
Power reset switch
2 USB ports, 5V 2.1A Max
Use with ground-fault circuit interrupter (GFCI) outlets only
Residential use only
Follow all applicable electrical codes
ETL Listed
Conforms to UL Standard 962A
Certified to CAN/CSA Standard C22.2 No. 308



WC-1111-60-SGL Installation Guide